

TestInsides



Quality and Value

TestInsides Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all vce.



Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.




Easy to Pass

If you prepare for the exams using our TestInsides testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



Try Before Buy

TestInsides offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.



Try before you buy

Download a free sample of any of our exam questions and answers


- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Choose an exam to sample

Select a vendor... ▾

Select an exam... ▾

Your email address

 Download Now

About Full Refund

Candidates have own unqualified certificate scanned and then sent to our mailbox. After confirmation, we will refund. ([Contact now](#))

Refund Policy

1. Questions must be purchased before the exam.
2. The transcript's subject must be the same subject when you bought the questions.

<http://www.testinsides.top/>

Testinsides offers the best valid test dumps and test questions

Exam : 1Z0-863

Title : Java Enterprise Edition 5 Web
Services Developer Certified
Professional Upgrade Exam

Vendors : Oracle

Version : DEMO

NO.1 Which JAXR interface allows querying a business registry using SQL commands?

- A. javax.xml.registry.Connection at level 0
- B. javax.xml.registry.FederatedConnection at Level 1
- C. javax.xml.registry.BusinessQueryManager at level 0
- D. javax.xml.registry.DeclarativeQueryManager at level 1
- E. javax.xml.registry.BusinessQueryManager at level 1
- F. javax.xml.registry.DeclarativeQueryManager at level 0

Answer: D

NO.2 Which two statements are true about the Web services? (Choose two.)

- A. SOAP messages are compressed during transport.
- B. You must implement session tracking via HTTP cookies.
- C. The WSDL defines services as collections of network endpoints.
- D. All data shared between Java and non-Java components must be in XML format.
- E. Data interchange is standardized in XML.
- F. Stateful Web services must be implemented in a heterogeneous environment.

Answer: C,E

NO.3 Which two statements are true about the role of XML schemas in Web services? (Choose two.)

- A. DTDs provide stricter data typing than XML schemas.
- B. XML schemas can be used to validate the organization of XML documents.
- C. XML schemas contain a vocabulary, content model and data types.
- D. DTDs are easier to map to Java than XML schemas, and so remain more popular.
- E. The W3C recommends that XML schemas be referred to as XSD.
- F. The W3C has designated that XML schemas be referred to as WXS.

Answer: B,C

NO.4 A team of developers is describing a set of endpoints in their new SOA application.

Given the WSDL extract:

```
<service name="InventoryServices">
  <port name="PurchaseOrder" binding="tns:POBinding">
    <soap:address location="http://192.168.0.2:8080/inventory"/>
  </port>
  <port name="Invoice" binding="tns:InvoiceBinding">
    <soap:address location="http://192.168.0.2:8080/inventory"/>
  </port>
</service>
```

Which statement is true about this WSDL extract?

- A. The extract is WS-I Basic Profile 1.1 compliant because both port element names are different.
- B. The extract is NOT WS-I Basic Profile 1.1 compliant because both port elements point to the same location.
- C. The extract is WS-I Basic Profile 1.1 compliant because both port elements point to different binding elements.
- D. The extract is NOT WS-I Basic Profile 1.1 compliant because it contains two port elements in the same service.
- E. The extract is WS-I Basic Profile 1.1 conformant because both port element names are different.
- F. The extract is WS-I Basic Profile 1.1 conformant because the port, binding, and service element combinations are unique.

Answer: B

NO.5 Which two statements are true about the interoperability of Web services developed using the Java EE

NO.6 What are two valid facts about WS-I? (Choose two.)

- A. The I-Stack is a great development tool.
- B. The WS-I promotes and supports generic protocols for the interoperable exchange of messages.
- C. The WS-I governs languages and protocols such as SOAP, WSDL, and UDDI.
- D. The WS-I specifies specific rules that address either weaknesses in component specifications or issues of how to combine the collected technology.
- E. The WS-I has been a guiding force in creating StAX.

Answer: B,D

NO.7 A developer needs to write a Web service that supports user sessions that timeout after 120 seconds.

Which configuration file is correct for the developer use?

- A. web.xml
- B. server.xml

- C. ejb-jar.xml
- D. service-config.xml

Answer: A

NO.8 Which two statements are true about the interaction between a JAXR 1.0 client and a UDDI registry.?

(Choose two.)

- A. A JAXR client can delete an organization that it published.
- B. A JAXR client CANNOT delete any of the entries in a UDDI registry.
- C. A JAXR client must use HTTPS for updating the information in a UDDI registry.
- D. A JAXR client can query and update the information in a UDDI registry using HTTP.
- E. A JAXR client can delete an organization that it published only if the protect property is set to False.

Answer: A,C

NO.9 Which two statements are true about JAX-WS support for data bindings? (Choose two.)

- A. Data binding is performed with only generated classes to reduce errors and hide complexity.
- B. JAXB 2.0 is preferred.
- C. Inline binding declarations with XML Schema are NOT supported for JAXB 2.0.
- D. SAAJ 1.3 is supported for data binding with SOAP.
- E. JAX-RPC data binding is recommended for cross-platform interoperability.

Answer: B,D

NO.10 A company is building a Java EE 5 purchase order processing system. This system will integrate with

an external invoicing system as part of the purchase order approval process. A developer created a new

client application to access the invoicing system using request-response, but a new service call is

receiving errors every time it invokes the necessary Web service.

Which statement is true about the Body element of the SOAP reply message?

- A. It must NOT contain any fault elements.
- B. It will contain a fault element for each error.
- C. It will contain exactly one fault element.
- D. It must contain zero or one fault element.
- E. It must contain an array of fault elements.

Answer: D

NO.11 A developer must modify an existing Web service client program. XML used by the service must be

updated and archived for use in other systems. The developer chooses the Dispatch API.

Which two statements are true about this approach? (Choose two.)

- A. Dispatch is generic and can be instantiated for use with XML or SOAP.
- B. The Web service can be either SOAP or REST-based.
- C. The Dispatch instance must be created in Service.Mode.PAYLOAD mode in order to use SOAP.
- D. Instantiating Dispatch Service.Mode.MESSAGE mode allows you to work directly with the XML message.
- E. It is unnecessary to use JAXB with the Dispatch API.

Answer: A,B

NO.12 Which two statements are true about JAXR support for XML registries? (Choose two.)

- A. The CapabilityProfile tells a client the capability level of a registry.
- B. UDDI registries must support ebXML to be compatible with JAXR.
- C. The UnsupportedCapabilityException is processed for errors from non-Java providers.
- D. The JAXR API declares methods as level 0 or level 1.
- E. JAXR registry clients present an XML schema that defines the infomodel for the provider.

Answer: A,D

NO.13 A company's new investment management Java application and a legacy stock trader application need

to communicate, but they use different JMS implementations. A developer decides to implement a JMS

bridge to solve the problem. Which two advantages does this pattern provide? (Choose two.)

- A. It converts the interface of a class into another interface that clients expect.
- B. It decouples an abstraction from its implementation so that the two can vary independently.
- C. It dynamically attaches additional responsibilities to an object.
- D. It optimizes network traffic.
- E. It is vendor independent.

Answer: B,E

NO.14 A company is building a customer relationship management system that is to be deployed on a

customer's network, and they want software functions to be reused and combined in different modules in the system. The Director of Technology has determined that the new system should utilize both Web services and a Service Oriented Architecture (SOA). Which two statements about Web services in an SOA are correct? (Choose two.)

- A. A Web service must be discovered from a UDDI registry in an SOA.
- B. SOA and Web services both use the HTTP protocol at the transport layer.
- C. A Web service must publish itself to a UDDI registry to become part of an SOA.
- D. SOA is a way to design a system and Web services are a possible implementation.
- E. SOA is used for stateless invocations, and Web services for stateful invocations.
- F. SOA emphasizes the concept of service encapsulation and Web services fulfill a service contract.

Answer: D,F

NO.15 platform? (Choose two.)

- A. Interoperability is improved by restricting access only to Java clients.
- B. EJB-based endpoints are more difficult for .NET clients to access.
- C. Only servlet-based endpoints are used when exposing services to non-Java clients.
- D. Exposure is limited to simple arrays of concrete types as the signature of Web service methods.
- E. The service must be published in both the .NET and Java UDDIs.
- F. Testing for WS-I Profile conformance improves interoperability.

Answer: D,F

5.A company needs to process DOM documents received from its customers through an EJB3 endpoint.

Which two APIs will a developer need to invoke to process these DOM documents? (Choose two.)

- A. UDDI
- B. JAXR
- C. JAXP
- D. JAX-WS
- E. JAXB
- F. StAX

Answer: C,F